

File Original and First Copy with  
Department of Ecology  
Second Copy—Owner's Copy  
Third Copy—Driller's Copy

# WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. 070874

30/3E/10A

Water Right Permit No. \_\_\_\_\_

(1) OWNER: Name ROLF LAITEN BERGER Address P.O. Box 531 SANWOOD, WA 98292

(2) LOCATION OF WELL: County Island NE 1/4 NE 1/4 Sec. 10 T. 30 N. R. 3E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) SUNNYSHORE DR. CAMANO IS. WA 98292

(3) PROPOSED USE: ☒ Domestic ☐ Industrial ☐ Municipal ☐  
☐ Irrigation ☐ Test Well ☐ Other ☐  
☐ DeWater

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_

Abandoned ☐ New well ☒ Method: Dug ☐ Bored ☐  
Deepened ☐ Cable ☐ Driven ☐  
Reconditioned ☐ Rotary ☒ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 183 feet. Depth of completed well 177 ft.

## (6) CONSTRUCTION DETAILS:

Casing installed: 6 \* Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Welded ☒ \* Diam. from +2 ft. to 172 ft.  
Liner installed ☐ \* Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
Threaded ☐

Perforations: Yes ☐ No ☒

Type of perforator used \_\_\_\_\_  
SIZE of perforations \_\_\_\_\_ in by \_\_\_\_\_ in.

\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.  
\_\_\_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes ☒ No ☐

Manufacturer's Name Johnson  
Type 3/4" STEEL Model No. \_\_\_\_\_  
Diam. 6 Slot size 10 from 172 ft. to 177 ft.  
Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes ☐ No ☒ Size of gravel \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes ☒ No ☐ To what depth? 18 ft.

Material used in seal  Bentonite   
Did any strata contain unusable water? Yes ☐ No ☒  
Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_  
Method of sealing strata off \_\_\_\_\_

## (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

MATERIAL	FROM	TO
BROWN SAND	0	38
BROWN SANDY CLAY	38	113
BROWN CLAY	113	123
BROWN SAND & COBBLES	123	147
BROWN CLAY SHALE	147	170
GRAY CLAY	170	172
GRAY SAND & GRAVEL	172	183

Work started 3/1 1993 Completed 9/5 1992

## WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Watkins Well Drilling Co. (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)

Address 556 N JUNE ST. CAMANO IS. WA.

(Signed) Ken Watkins License No. 2576  
(WELL DRILLER)

Contractor's Registration No. WATKIND1347 Date 9/5/93

(USE ADDITIONAL SHEETS IF NECESSARY)

(7) PUMP: Manufacturer's Name WU KOWAN  
Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.  
Static level 120 ft. below top of well Date 3/5/93  
Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_  
Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level  
Was a pump test made? Yes ☐ No ☒ If yes, by whom? \_\_\_\_\_  
Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time	Water Level	Time	Water Level	Time	Water Level

Date of test \_\_\_\_\_

Bailer test \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

Artest 20 gal./min. with stem seal at 175 ft. for 1 hrs.

Artesian flow \_\_\_\_\_ g.p.m. Date \_\_\_\_\_

Temperature of water \_\_\_\_\_ Was a chemical analysis made? Yes ☐ No ☒



WASHINGTON STATE  
DEPARTMENT OF  
ECOLOGY

# Well Tagging Form

Unique Well Tag No: APH037

## RECORD VERIFICATION (check ☒ one)

- ☒ Well Report available (please attach this form to the well report and submit it to the Ecology Regional Office near you)
- ☐ Verification inconclusive
- ☐ Well Report not available

**RECEIVED**

APR 16 2007

DEPT. OF ECOLOGY

## WELL OWNERSHIP IF DIFFERENT FROM WELL REPORT

Name: East Sun Water Association

Street Address: 2815 Kayak View Pl

City: Camano Island

State: WA

## WELL LOCATION IF DIFFERENT FROM WELL REPORT

Well Address: 2815 Kayak View Pl/S8240-00-00033-2

City: Camano Island

County: Island

T. 30N R. 03E W.M. Sec. 03 SE 1/4 of the SW 1/4

## FOR AGENCY USE ONLY

Latitude: 48 6.592846

Longitude: 122 24.69098

Elevation at land surface 141 feet / meters (circle one)

Additional Information, if available:

☐ Location marked on topographic map (please attach)

☐ Location marked on air photo (please attach)

- ☒ GPS
- ☐ Topographic Map
- ☐ Survey
- ☐ Computer generated

- ☐ Digital Altimeter
- ☐ Topographic Map
- ☒ Other: Computer Generated from DEM and GPS XY Coordinates

Tag placed and well  
GPS'd by:



FOR AGENCY USE ONLY

WELL CHARACTERISTICS

Physical Description of well (size of casing, type of well, housing, etc.)  
Take Steffen PI All The Way Down. Stay Left. Pumphouse Is On Left Up Hill

Location of Well Identification Tag:

Was supplemental tag needed for easy of identifying well? ☐ Yes ☒ No

If yes, where was tag placed? \_\_\_\_\_

D	C	B	A
E	F	G	H
M	L	K	J
N	P	Q	R

SECTION: 30N/03E-03

COMMENTS:  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

FOR ECOLOGY WATER RESOURCES PROGRAM ONLY

Water Right # \_\_\_\_\_ Date Issued: \_\_\_\_\_

Circle One:    Application                      Permit                      Certificate                      Claim                      Exempt

File Original and First Copy with  
Department of Ecology  
Second Copy—Owner's Copy  
Third Copy—Driller's Copy

# WATER WELL REPORT

STATE OF WASHINGTON

Start Card No. 070874  
30/3E/10A

Water Right Permit No.

(1) OWNER: Name ROLF LAITEN BERGER

Address P.O. Box 531 SANUO, WA 98252

(2) LOCATION OF WELL: County ISLAND NE NE 1/4 Sec 10 T. 30 N. R. 3E W.M.

(2a) STREET ADDRESS OF WELL (or nearest address) SUNNYSHORE DR Camano IS, WA 98252

(3) PROPOSED USE: ☒ Domestic ☐ Industrial ☐ Municipal ☐  
☐ Irrigation ☐ Test Well ☐ Other ☐  
☐ DeWater

## (10) WELL LOG or ABANDONMENT PROCEDURE DESCRIPTION

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of information.

(4) TYPE OF WORK: Owner's number of well (if more than one) \_\_\_\_\_  
Abandoned ☐ New well ☐ Deepened ☐ Reconditioned ☐  
Method: Dug ☐ Cable ☐ Rotary ☒ Bored ☐ Driven ☐ Jetted ☐

(5) DIMENSIONS: Diameter of well 6 inches.  
Drilled 183 feet. Depth of completed well 177 ft.

## (6) CONSTRUCTION DETAILS:

Casing installed: ☒ Welded ☐ Liner installed ☐ Threaded ☐  
Diam. from 6 ft. to 172 ft.  
Diam. from +2 ft. to 172 ft.  
Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Perforations: Yes ☐ No ☒

Type of perforator used \_\_\_\_\_

SIZE of perforations \_\_\_\_\_ in by \_\_\_\_\_ in.

perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Screens: Yes ☒ No ☐

Manufacturer's Name JOHNSON

Type SL STEEL Model No. \_\_\_\_\_

Diam. 6 Slot size 10 from 172 ft. to 177 ft.

Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Gravel packed: Yes ☐ No ☒ Size of gravel \_\_\_\_\_

Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Surface seal: Yes ☒ No ☐ To what depth? 18 ft.

Material used in seal PORTLAND CEMENT

Did any strata contain unusable water? Yes ☐ No ☒

Type of water? \_\_\_\_\_ Depth of strata \_\_\_\_\_

Method of sealing strata off \_\_\_\_\_

(7) PUMP: Manufacturer's Name WILKINSON

Type: \_\_\_\_\_ H.P. \_\_\_\_\_

(8) WATER LEVELS: Land-surface elevation above mean sea level \_\_\_\_\_ ft.

Static level 120 ft. below top of well Date 3/5/93

Artesian pressure \_\_\_\_\_ lbs. per square inch Date \_\_\_\_\_

Artesian water is controlled by \_\_\_\_\_ (Cap, valve, etc.)

(9) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? Yes ☐ No ☒ If yes, by whom? \_\_\_\_\_

Yield: \_\_\_\_\_ gal./min. with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

" " " " " "

" " " " " "

Recovery data (time taken as zero when pump turned off) (water level measured from well top to water level)

Time Water Level Time Water Level Time Water Level

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Work started 3/1/93 Completed 9/5/93

## WELL CONSTRUCTOR CERTIFICATION:

I constructed and/or accept responsibility for construction of this well, and its compliance with all Washington well construction standards. Materials used and the information reported above are true to my best knowledge and belief.

NAME Watkins Well Drilling Co. (PERSON, FIRM, OR CORPORATION) (TYPE OR PRINT)

Address 536 N JUNCKY DR Camano IS, WA

(Signed) Ken Watkins License No. 2576 (WELL DRILLER)

Contractor's Registration No. WATKINS Date 9/5/93

(USE ADDITIONAL SHEETS IF NECESSARY)



The reported location data of this well was incorrect and has been changed in Ecology's well report database. In most cases, the original T/R/S data plotted this well offshore. The Well Construction and Licensing Office used address, tax parcel, and other information to more accurately map this well report in the Well Report Viewer database. This well report location was updated in April-2018.